

	Marmorino Palladino			
SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/	'PR	EPERATION AND OF THE COMPANY/UNDERTAKING	
1.1	Product details			
	Product category	:	Interior/Exterior Decorative Plaster	
	Product Name	:	Marmorino Palladino	
	Cas-No.	:	Mixture	
1.2	Application/preparation of the substance	:	Fine seasoned slaked lime based coating	
	Restrictions	:	None known	
1.3	Details of the Manufacturer/Supplier	:	Meoded Paints & Decoration Inc.	
		:	6314 Santa Monica Blvd	
		:	Los Angeles, CA 90038	
	Further Information Obtainable from	:	Info@meodedpaint.com	
	Contact Phone Number	:	⁺ 1 323-308-2600	
	Fax	:	⁺ 1 323-308-2606	
1.4	In case of emergency, contact CHEMTREC	:	⁺ 1 800-424-9300	

SECTION 2: HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture in	n a	ccordance with (OSHA HCS) 29 CFR 1910, 1200.
	Classification	:	Carcinogenicity - Category 1A

2.2 Pictogram (GHS-US)



Signal Word (GHS-US)	:	Danger	
Hazard statement(s) (GHS-US)		H350 H335	May cause cancer (inhalation) May cause respiratory irritation.
	:	H370	Causes damages to organs.
Precautionary statement(s) (GHS-US)	:	P201	Obtain special instructions before use.
	:	P202	Do not handle until all safety precautions have been read and understood.
	:	P260	Do not breathe dust.
	:	P280	Wear protective gloves, protective clothing, eye protection.
	:	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	:	P305+P351	IF IN EYES: Rinse cautiously with water for
			several minutes.
			(Contd. on page 2)



	Marmorino Palladino
	(Contd. of page 1)
Precautionary statement(s) (GHS-US)	: P308+P313 If exposed or concerned: Get medical advice/ attention.
Response statement(s) (GHS-US)	: P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	: P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Storage Statement(S) (GHS-US)	: P402 Store in a dry place.
Disposal Statement(s) (GHS-US)	: P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

3.1 Composition/information on ingredients.

Dangerous components.

Component	Cas #	Exposure Limit	
Titanium Dioxide	13463-67-7	OSHA PEL (Respirable)	15 mg/m ³
		ACGIH TLV (Respirable)	10 mg/m ³
Calcium Hydroxide	de 1305-62-0	OSHA PEL (Respirable)	15 mg/m ³
		ACGIH TLV (Respirable)	5 mg/m ³
Calcium Carbonate	1317-65-3	OSHA PEL (Respirable)	15 mg/m ³
	1317-05-5	ACGIH TLV (Respirable)	5 mg/m ³

All percentages withheld as trade secret.

3.2 Compositions Comments:

: All percentages withheld as trade secret.

SECTION 4: FIRST AID MEASURES 4.1 Description of first aid measures						
7.1	General advice	: n/a				
	Incase of skin contact	: Immediately wipe excess material off skin, wash affected area with plenty of soap and water. Seek medical attention if irritation develops or persists.				

	SAFE SAFE	SAFETY DATA SHEET	
	PAINT & PLASTER		Revision Date: 12/16/2022
	Ma	rn	norino Palladino
	If swallowed	:	(Contd. of page 2) Do not Induced vomiting. Rinse mouth thoroughly. Get medical attention immediately.
	Incase of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek medical attention if irritation develops or persists.
	If inhaled	:	Remove to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
SECT	ION 5: FIRE FIGHTING MEASURES		
5.1	General Fire Hazards	:	This product is not-flammable.
5.2	Extinguishing Media Suitable extinguishing media	:	Water Powder carbon dioxide, foam. Use any means suitable for extinguishing surrounding fire.
	Unsuitable extinguishing media	:	This product is not-flammable.
5.3	Special hazards arising from the substance or mixture	:	Not known.
5.4	Special protective equipment	:	n/a
5.5	Advice for firefighters	:	Use protective measures that suit the hazard conditions.
SECT	ION 6: ACCIDENTAL RELEASE MEASURES		
6.1	Personal precautions, protective equipmen	t a	and emergency procedures
	Non emergency personnel	:	Wear personal protection equipment. Remove person to safety. Use personal protective equipment as recommended in section 8. Wash thoroughly after handling mater. Wear appropriate protective clothing.
	For emergency responders	:	Use personal recommended in Section 8 of the SDS.



Environmental precautions

6.2

SAFETY DATA SHEET

Revision Date: 12/16/2022 Marmorino Palladino (Contd. of page 3) : Do not allow to enter into soil/subsoil. Prevent runoff from contacting public drains, sewers, streams, and water systems. aining and : Limit leakage with earth or inert material. Remove most of the

6.3 Methods and materials for containing and cleaning
6.3 Limit leakage with earth or inert material. Remove most of the the product and then rinse the contaminated are with water. Pick up and arrange for disposal without creating dust. Disposed of materials in a suitable containers in accordance with applicable regional, national and local laws and regulations.
6.4 Notification Procedures
i Caution: Contaminated surfaces may be slippery.

SECT	SECTION 7: HANDLING AND STORAGE				
7.1	Precautions for safe handling	 Do not handle until all safety precautions have been read and understood. Consult all the other sections of this SDS. Avoid leakage of the product into the environment. Wear protective clothing. Do not breathe dust. Wash thoroughly after handling. 			
7.2	Conditions for safe storage, including any inculpabilities	Store only in original container. Store the container sealed, in a well ventilated place, away from direct sunlight. Keep containers away from incompatible materials. Cross contamination will render product useless.			

7.3 Specific end use(s)

Decorative Finish.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

United States. Occupational limits:				
Component Cas # Exposure Limit				
Titonium Diovido	Titanium Dioxide 13463-67-7	OSHA PEL (Respirable)	15 mg/m ³	
fitanium Dioxide		ACGIH TLV (Respirable)	10 mg/m ³	
Calcium Hydroxide	1305-62-0	OSHA PEL (Respirable)	15 mg/m ³	
Calcium Hydroxide	1303-02-0	ACGIH TLV (Respirable)	5 mg/m ³	
Calcium Carbonate	1217.65.2	OSHA PEL (Respirable)	15 mg/m ³	
Calcium Carbonate	1317-65-3	ACGIH TLV (Respirable)	5 mg/m ³	



Revision Date: 12/16/2022

		Revision Date. 12/10/2022
		Marmorino Palladino
8.2	Exposure controls	(Contd. of page 4)
	Appropriate engineering controls	: Use with adequate ventilation to ensure exposure levels are maintained below the limit provided above. Use exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits.
	Individual Protective Measures General information	: Personal protective equipment should be chosen according to applicable standards.
	Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure the eyewash stations and safety showers are close to the workstation location.
	Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases, dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection Safety glasses with side shields.
	Skin protection Hand protection	: Chemical-resistant, impervious gloves complying with approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
	Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



	Marmorino Palladino
	(Contd. of page 5)
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazards and the potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training and other important aspects of use.
Environmental exposure controls	: Environmental manager/supervisor must be informed immediately of all major releases, Avoid unintended release into the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information in basic physical and chemical properties

information in basic physical and chemical p		
Form	Creamy Paste	
Color	Various	
Odor	Slight	
Odor threshold	Not applicable	
РН	11.65	
Melting/freezing point	No data available	
Initial boiling point and	No data available	
boiling range		
Flash point	No data available	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Upper/lower explosive	No data available	
flammable limits	NU UALA AVAIIADIE	
Vapor pressure	No data available	

Vapor density	No data available
Relative density	No data available
Water solubility	Miscible
Partition coefficient	No data available
(n- octanol water)	NO Udla avaliable
Auto-ignition	No data available
temperature	
Decomposition	No data available
temperature	NO Uata avaliable
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Specific gravity (H2O=1)	
VOC:	0.0 g/l (0.0 lb./gal)

9.2 Other Information

: No relevant additional information available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

: Stable under normal conditions.



Revision Date: 12/16/2022 **Marmorino Palladino** (Contd. of page 6) 10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reaction will not occur. 10.4 Conditions to avoid : Air, dusting, and incompatibles. DO NOT FREEZE. 10.5 Incompatible materials : As a strongly alkaline material, it is incompatible with acids. **10.6** Hazardous decomposition products : No date available. SECTION 11: TOXICOLOGICAL INFORMATION 11.1 Acute toxicity : Not available Skin corrosion/irritation : May cause skin irritation. May cause serious chemical burns. May cause dryness and chopped skin. Eyes : This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration. Respiratory : Vapor inhalation may irritate the lower and upper respiratory tract and cause cough and respiratory disorders. Sensitization : No data available. : No data available. Mutagenicity : No data available. Reproductive toxicity : No data available. Teratogenicity

Specific target organ toxicity

(Single exposure)

Ingredient name Category		Route of exposure	Target Organs
Titanium Dioxide	2B	Inhalation and skin contact	Respiratory tract irritation, skin irritation
Calcium Hydroxide	3	Inhalation and skin contact	Respiratory tract irritation, skin irritation
Calcium Carbonate	1	Inhalation and skin contact	May cause respiratory irritation. Causes damag to organs (lungs) (Inhalation)

(Contd. on page 8)

M	
MEODED	

PAINT & PLASTER	Revision Date: 12/16/2022
	Marmorino Palladino
	(Contd. of page 7)
Additional Information	: No data available.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity	: Due the high PH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems in high concentrations.
12.2 Persistence and degradability	: No data available
12.3 Bio accumulative potential	: No data available
12.4 Mobility in soil	: No data available
12.5 Other adverse effect	: No data available
SECTION 13: DISPOSAL CONSIDERATIONS	
13.1 Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recycle products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be consider when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal od spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

14.1 UN Number

: Not regulated



	PAINT & PLASTER			Revision Date: 12/16/2022
	Ma	irn	nc	orino Palladino
14.3	Transport Hazards Class(es)	:	١	(Contd. of page 8) Not regulated
14.4	Packing Group	:	١	Not regulated
14.5	Environmental Hazard Class(es)	:		This material is high in alkaline if release into water or moist soil it will cause an increase in PH.
14.6	Sea Transport		١	Not regulated
14.7	Air transport		١	Not regulated
14.8	Special Precautions for user	:	٦	None
SECTI	ON 15: REGULATORY INFORMATION			
15.1	US Federal regulations OSHA Hazard Communication Standard, (29 CFR 1910.1200)	:	ſ	Material is considered Hazardous. See Section 3.
15.2	CERLA, section 103 (40 CFR 302.4)	:	١	No data available
15.3	CLEAN AIR ACT, section 112	:	١	No data available
15.4	SARA, section 302 (40 CFR 355.30) and section 304 (40 CFR 355.40)	:	٦	No data available
15.5	SARA, section 311/312 (40 CFR 370.21) Hazard classes			
	Fire/Flammability	:	٦	Νο
	Reactivity	:	١	Νο
	Chronic Health Hazard	:	١	Yes
	Acute Health Hazard	:	١	Yes
	Release of Pressure	:	١	No



Marmorino Palladino					
15.7	EPA VOC	: 0.0 g/l VOC	(Contd. of page 9)		
15.8	California Prop 65.				
	Titanium Dioxide	Cas #	13463-67-7		
	Additional Information:	The listing is for titenium	diavida as "airbarna, unbaund		
	Cas # 13463-67-7 Titanium Dioxide	: The listing is for titanium	dioxide as "airborne, unbound		

 The listing is for titanium dioxide as "airborne, unbound particles of respirable size" and does not cover titanium dioxide when it remains within a product matrix.

SECTION 16: OTHER INFORMATION

16.1 Full text of H-Statements referred to under sections 2 and 3.

HMIS Haza	rd ID	Required Equipment
HEALTH	2	
FLAMMABILITY	0	
REACTIVITY	0	
PERSONAL PROTECTION	E	Safety glasses, Gloves, Respirator

16.1 Meoded Paint and Decoration provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using the product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. Meoded Paint and Decoration makes no representation or warranties, either express or implied, including without limitation any warranties of merchantability fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Meoded Paint and Decoration will no be responsible for damages resulting from use of or reliance upon this information.

END OF SDS SHEETS