

.

| Tona  | chino | Firenze    |
|-------|-------|------------|
| 10110 |       | 1 II CIIZC |

| SECT | ION 1: IDENTIFICATION OF THE SUBSTANCE/  | /PF | REPERATION AND OF THE COMPANY/UNDERTAKING |
|------|--|-----|---|
| 1.1  | Product details                          |     |   |
|      | Product category                         | :   | Interior/Exterior Decorative Plaster      |
|      | Product Name                             | :   | Tonachino Firenze                         |
|      | Cas-No.                                  |     | Mixture                                   |
| 1.2  | Application/preparation of the substance | :   | Fine seasoned slaked lime based coating   |
|      | Restrictions                             | :   | None known                                |
| 1.3  | Details of the Manufacturer/Supplier     | :   | Meoded Paints & Decoration Inc.           |
|      |  | :   | 6314 Santa Monica Blvd                    |
|      |  |     | Los Angeles, CA 90038                     |
|      | Further Information Obtainable from      |     | Info@meodedpaint.com                      |
|      | Contact Phone Number                     | :   | +1 323-308-2600                           |
|      | Fax                                      | :   | +1 323-308-2606                           |
| 1.4  | In case of emergency, contact CHEMTREC   | :   | <sup>+</sup> 1 800-424-9300               |

### S

| SECT | SECTION 2: HAZARDS IDENTIFICATION   |                  |   |  |  |
|------|---|------------------|---|--|--|
| 2.1  | Classification of the substance or mixture in accordance with (OSHA HCS) 29 CFR 1910, 1200. |                  |   |  |  |
|      | Classification  | : Not classifie  | ed.   |  |  |
| 2.2  | Pictogram (GHS-US)  |                  |   |  |  |
|      | Signal Word (GHS-US)  | : Danger         |   |  |  |
|      | Hazard statement(s) (GHS-US)  | : H335           | May cause respiratory Irritation.   |  |  |
|      |   | : H350           | May cause cancer (inhalation).  |  |  |
|      |   | : H370           | Causes damages to organs.   |  |  |
|      | Precautionary statement(s) (GHS-US)   | : P201<br>: P202 | Obtain special instructions before use.<br>Do not handle until all safety precautions have<br>been read and understood. |  |  |
|      |   | : P260           | Do not breathe dust.  |  |  |
|      |   | : P280           | Wear protective gloves, protective clothing, eye protection.  |  |  |

- : P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- : P305+351 IF IN EYES: Rinse cautiously with water for several minutes.



| Tonachino Firenze                   |             |   |  |  |
|-------------------------------------|-------------|---|--|--|
|                                     |             | (Contd. of page 1)  |  |  |
| Precautionary statement(s) (GHS-US) | -           | posed or concerned: Get medical advice/<br>ntion.   |  |  |
| Response statement(s) (GHS-US)      |             | IHALED: Remove victim to fresh air and keep st in a position comfortable for breathing.           |  |  |
|                                     |             | WALLOWED: Immediately call a POISON<br>FER or doctor/physician.                                   |  |  |
| Storage Statement(S) (GHS-US)       | : P402 Stor | e in a dry place.   |  |  |
| Disposal Statement(s) (GHS-US)      | with        | ose of contents/container to in accordance<br>l local/regional/national/international<br>lations. |  |  |

#### SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

#### 3.1 Composition/information on ingredients.

Dangerous components.

| Component                     | Cas #       | Exposure Limit               |  |
|-------------------------------|-------------|------------------------------|--|
| Titer ing Disside             | 13463-67-7  | OSHA PEL (Respirable)        | 15 mg/m <sup>3</sup>                             |
| Titanium Dioxide              | 13403-07-7  | ACGIH TLV (Respirable)       | 10 mg/m <sup>3</sup>                             |
|                               |             | OSHA PEL (Respirable Quartz) | 10 mg/m <sup>3</sup> / (% silica <sup>+</sup> 2) |
| Quartz (Crystalline Silicate) | 148080-60-7 | OSHA PEL ( Quartz)           | 30 mg/m <sup>3</sup> / (% silica <sup>+</sup> 2) |
|                               |             | ACGIH TLV (Respirable)       | 0.025 mg/m <sup>3</sup> / (Respirable)           |
| Calcium Hydroxide 1305-62     | 1205 62 0   | OSHA PEL (Respirable)        | 15 mg/m <sup>3</sup>                             |
|                               | 1303-02-0   | ACGIH TLV (Respirable)       | 5 mg/m <sup>3</sup>                              |
| Calcium Carbonate             | 1217.05.2   | OSHA PEL (Respirable)        | 15 mg/m <sup>3</sup>                             |
|                               | 1317-65-3   | ACGIH TLV (Respirable)       | 5 mg/m <sup>3</sup>                              |

#### All percentages withheld as trade secret.

#### 3.2 Compositions Comments:

: All percentages withheld as trade secret.

#### SECTION 4: FIRST AID MEASURES

- 4.1 Description of first aid measures General advice
- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

|      | SAFE<br>MEODED   | T   | Y DATA SHEET  |
|------|--|-----|---|
|      | PAINT & PLASTER  |     | Revision Date: 2/28/2023  |
|      | Тс   | ona | achino Firenze  |
|      | Incase of skin contact                                     | :   | (Contd. of page 2)<br>Immediately wipe excess material off skin, wash affected<br>area with plenty of soap and water. Seek medical attention<br>if irritation develops or persists.   |
|      | If swallowed   | :   | Do not Induced vomiting. Rinse mouth thoroughly. Get medical attention immediately.   |
|      | Incase of eye contact                                      | :   | Rinse immediately with plenty of water, also under the<br>eyelids, for at least 15 minutes. Remove contact lenses, if<br>present and easy to do. Continue rinsing and seek medical<br>attention if irritation develops or persists. |
|      | If inhaled   | :   | Remove to fresh air and keep comfortable for breathing.<br>If experiencing respiratory symptoms: Call a POISON CENTER<br>or doctor/physician.   |
| SECT | ION 5: FIRE FIGHTING MEASURES                              |     |   |
| 5.1  | General Fire Hazards                                       | :   | This product is not-flammable.  |
| 5.2  | <b>Extinguishing Media</b><br>Suitable extinguishing media | :   | Water Powder carbon dioxide, foam. Use any means suitable for extinguishing surrounding fire.   |
|      | Unsuitable extinguishing media                             | :   | Do not use a heavy water stream. Use of heavy stream of water may spread fire.  |
| 5.3  | Special hazards arising from the substance or mixture      | :   | Not known.  |
| 5.4  | Special protective equipment                               | :   | Do not enter area without proper protective equipment,<br>Including respiratory protection.   |
| 5.5  | Advice for firefighters                                    | :   | Use protective measures that suit the hazard conditions.  |



#### Tonachino Firenze

|      |  |      | (Contd. of page 3)  |
|------|--|------|---|
| SECT | ION 6: ACCIDENTAL RELEASE MEASURES                         |      |   |
| 6.1  | Personal precautions, protective equipmen                  | nt a | and emergency procedures  |
|      | Non emergency personnel                                    | :    | Wear personal protection equipment. Remove person to<br>safety. Use personal protective equipment as recommended<br>in section 8. Wash thoroughly after handling mater. Wear<br>appropriate protective clothing.  |
|      | For emergency responders                                   | :    | Use personal recommended in Section 8 of the SDS.   |
| 6.2  | Environmental precautions                                  | :    | Do not allow to enter into soil/subsoil. Prevent runoff from contacting public drains, sewers, streams, and water systems.  |
| 6.3  | Methods and materials for containing and cleaning          | :    | Limit leakage with earth or inert material. Remove most of<br>the product and then rinse the contaminated are with water.<br>Pick up and arrange for disposal without creating dust.<br>Disposed of materials in a suitable containers in accordance<br>with applicable regional, national and local laws and<br>regulations. |
| 6.4  | Notification Procedures                                    | :    | Caution: Contaminated surfaces may be slippery.   |
| SECT | ION 7: HANDLING AND STORAGE                                |      |   |
| 7.1  | Precautions for safe handling                              | :    | Do not handle until all safety precautions have been read<br>and understood. Consult all the other sections of this SDS.<br>Avoid leakage of the product into the environment.<br>Wear protective clothing. Do not breathe dust. Wash<br>thoroughly after handling.   |
| 7.2  | Conditions for safe storage, including any inculpabilities | :    | Store only in original container. Store the container sealed,<br>in a well ventilated place, away from direct sunlight. Keep<br>containers away from incompatible materials. Cross<br>contamination will render product useless.  |
| 7.3  | Specific end use(s)  |      | Decorative Finish.  |



#### **Tonachino Firenze**

#### (Contd. of page 4)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

| United States. Occupational limits:    |                       |                              |  |  |
|--|-----------------------|------------------------------|--|--|
| Component Cas # Exposure Limit         |                       |                              |  |  |
| Titanium Dioxide                       | 13463-67-7            | OSHA PEL (Respirable)        | 15 mg/m <sup>3</sup>                             |  |
| Intallium Dioxide                      | 13463-67-7            | ACGIH TLV (Respirable)       | 10 mg/m <sup>3</sup>                             |  |
| Quartz (Crystalline Silicate) 148080-6 |                       | OSHA PEL (Respirable Quartz) | 10 mg/m <sup>3</sup> / (% silica <sup>+</sup> 2) |  |
|  | 148080-60-7           | OSHA PEL ( Quartz)           | 30 mg/m <sup>3</sup> / (% silica <sup>+</sup> 2) |  |
|  |                       | ACGIH TLV (Respirable)       | 0.025 mg/m <sup>3</sup> / (Respirable)           |  |
| Calcium Hydroxide 1305-62-0            | OSHA PEL (Respirable) | 15 mg/m <sup>3</sup>         |  |  |
|  | 1303-02-0             | ACGIH TLV (Respirable)       | 5 mg/m <sup>3</sup>                              |  |
| Calcium Carbonate                      | 1317-65-3             | OSHA PEL (Respirable)        | 15 mg/m <sup>3</sup>                             |  |
| Calcium Carbonate                      | 1311-02-2             | ACGIH TLV (Respirable)       | 5 mg/m <sup>3</sup>                              |  |

#### 8.2 Exposure controls

Appropriate engineering controls

Individual Protective Measures

General information

- : Use with adequate ventilation to ensure exposure levels are maintained below the limit provided above. Use exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits.
- : Personal protective equipment should be chosen according to applicable standards.
- Hygiene measures: Wash hands, forearms and face thoroughly after handling<br/>chemical products, before eating, smoking and using lavatory<br/>and at the end of the working period. Appropriate techniques<br/>should be used to remove potentially contaminated clothing.<br/>Wash contaminated clothing before reusing. Ensure the<br/>eyewash stations and safety showers are close to the<br/>workstation location.
- Eye/face protection: Safety eyewear complying with an approved standard should<br/>be used when a risk assessment indicates this is necessary<br/>to avoid exposure to liquid splashes, mists, gases, dusts. If<br/>contact is possible, the following protection should be worn,<br/>unless the assessment indicates a higher degree of protection<br/>Safety glasses with side shields.



| Tonachino Firenze                  |   |  |
|------------------------------------|---|--|
|                                    | (Contd. of page 5)  |  |
| Skin protection<br>Hand protection | : Chemical-resistant, impervious gloves complying with<br>approved standard should be worn at all times when<br>handling chemical products if a risk assessment indicates<br>this is necessary. Considering the parameters specified by the<br>glove material may be different for different glove<br>manufacturers. In the case of mixtures, consisting of several<br>substances, the protection time of the gloves cannot be<br>accurately estimated. |  |
| Body protection                    | : Personal protective equipment for the body should be selected<br>based on the task being performed and the risks involved and<br>should be approved by a specialist before handling this<br>product.  |  |
| Other skin protection              | : Appropriate footwear and any additional skin protection<br>measures should be selected based on the task being<br>performed and the risks involved and should be approved by<br>a specialist before handling this product.  |  |
| Respiratory protection             | : Based on the hazards and the potential for exposure, select<br>a respirator that meets the appropriate standard or<br>certification. Respirators must be used according to a<br>respiratory protection program to ensure proper fitting,<br>training and other important aspects of use.  |  |
| Environmental exposure controls    | <ul> <li>Environmental manager/supervisor must be informed<br/>immediately of all major releases, Avoid unintended release<br/>into the environment.</li> </ul>   |  |



#### **Tonachino Firenze**

#### (Contd. of page 6)

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information in basic physical and chemical properties

| Liquid Paint      |
|-------------------|
| White             |
| Slight            |
| Not applicable    |
| 12 - 12.5         |
| No data available |
| No data available |
| NO UALA AVAIIADIE |
| No data available |
| NU Udla avdiidDie |
| No data available |
|                   |

| Vapor density            | No data available     |
|--------------------------|-----------------------|
| Relative density         | No data available     |
| Water solubility         | Miscible              |
| Partition coefficient    | No data available     |
| (n- octanol water)       | NO Udla avaliable     |
| Auto-ignition            | No data availabla     |
| temperature              | No data available     |
| Decomposition            | No data available     |
| temperature              | NU Udla avaliable     |
| Viscosity                | No data available     |
| Explosive properties     | No data available     |
| Oxidizing properties     | No data available     |
| Specific gravity (H2O=1) |                       |
| VOC:                     | 0.0 g/l (0.0 lb./gal) |

#### 9.2 Other Information

: No relevant additional information available.

| SECTION 10: STABILITY AND REACTIVITY    |   |  |  |  |
|---|---|--|--|--|
| 10.1 Reactivity                         | : Stable under normal conditions.   |  |  |  |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reaction will not occur.                      |  |  |  |
| 10.4 Conditions to avoid                | : Air, dusting, and incompatibles. DO NOT FREEZE.   |  |  |  |
| 10.5 Incompatible materials             | : As a strongly alkaline material, it is incompatible with acids.                                     |  |  |  |
| 10.6 Hazardous decomposition products   | : No date available.  |  |  |  |
| SECTION 11: TOXICOLOGICAL INFORMATION   |   |  |  |  |
| 11.1 Acute toxicity                     | : Not available   |  |  |  |
| Skin corrosion/irritation               | : May cause skin irritation. May cause serious chemical burns.<br>May cause dryness and chopped skin. |  |  |  |



Revision Date: 2/28/2023

| Tonachino Firenze     |   |  |  |  |
|-----------------------|---|--|--|--|
|                       | (Contd. of page 7)  |  |  |  |
| Eyes                  | : This product may cause serious ocular lesions, cornea         |  |  |  |
|                       | opacity, iris lesions, irreversible eye coloration.             |  |  |  |
| Respiratory           | : Vapor inhalation may irritate the lower and upper respiratory |  |  |  |
|                       | tract and cause cough and respiratory disorders.                |  |  |  |
| Sensitization         | : No data available.  |  |  |  |
|                       |   |  |  |  |
| Mutagenicity          | : No data available.  |  |  |  |
| Reproductive toxicity | : No data available.  |  |  |  |
|                       |   |  |  |  |
| Teratogenicity        | : No data available.  |  |  |  |

### Specific target organ toxicity

(Single exposure)

| Ingredient name               | Category | Route of exposure           | Target Organs                      |
|-------------------------------|----------|-----------------------------|------------------------------------|
| Titanium Dioxide              | 2B       | Inhalation and skin contact | Respiratory tract irritation, skin |
|                               |          |                             | irritation                         |
| Quartz (Crystalline Silicate) | 1        | Inhalation                  | Respiratory tract and kidneys      |
| Calcium Hydroxide             | 2        | Inhalation and skin contact | Respiratory tract irritation, skin |
|                               | 5        |                             | irritation                         |

Additional Information

: No data available.

| SECTION 12: ECOLOGICAL INFORMATION |   |  |  |  |
|------------------------------------|---|--|--|--|
| 12.1 Toxicity                      | : Due the high PH of this product, it would be expected<br>to produce significant ecotoxicity upon exposure to aquatic<br>organisms and aquatic systems in high concentrations. |  |  |  |
| 12.2 Persistence and degradability | : No data available   |  |  |  |
| 12.3 Bio accumulative potential    | : No data available   |  |  |  |
| 12.4 Mobility in soil              | : No data available   |  |  |  |
| 12.5 Other adverse effect          | : No data available   |  |  |  |



Revision Date: 2/28/2023

#### **Tonachino Firenze**

| (Contd. | of | page 8 | 8) |
|---------|----|--------|----|
|---------|----|--------|----|

| SECTION 13: DISPOSAL CONSIDERATIONS |   |
|-------------------------------------|---|
| 13.1 Disposal methods               | : The generation of waste should be avoided or minimized<br>wherever possible. Disposal of this product, solutions and<br>any by-products should at all times comply with the<br>requirements of environmental protection and waste disposal<br>legislation and any regional local authority requirements.<br>Dispose of surplus and non-recycle products via a licensed<br>waste disposal contractor. Waste should not be disposed of<br>untreated to the sewer unless fully compliant with the<br>requirements of all authorities with jurisdiction. Waste<br>packaging should be recycled. Incineration or landfill should<br>only be consider when recycling is not feasible. This material<br>and its container must be disposed of in a safe way. Care<br>should be taken when handling emptied containers that have<br>not been cleaned or rinsed out. Empty containers or liners<br>may retain some product residues. Avoid dispersal od spilled<br>material and runoff and contact with soil, waterways, drains<br>and sewers. |
|                                     |   |

| SECTION 14: TRANSPORT INFORMATION   |                 |  |  |  |  |
|-------------------------------------|-----------------|--|--|--|--|
| 14.1 UN Number                      | : Not regulated |  |  |  |  |
| 14.3 Transport Hazards Class(es)    | : Not regulated |  |  |  |  |
| 14.4 Packing Group                  | : Not regulated |  |  |  |  |
| 14.5 Environmental Hazard Class(es) | : Not regulated |  |  |  |  |
| 14.6 Sea Transport                  | Not regulated   |  |  |  |  |
| 14.7 Air transport                  | Not regulated   |  |  |  |  |
| 14.8 Special Precautions for user   | : None          |  |  |  |  |



Revision Date: 2/28/2023

| Tonachino Firenze |   |    |  |                    |
|-------------------|---|----|--|--------------------|
|                   |   |    |  | (Contd. of page 9) |
|                   | ION 15: REGULATORY INFORMATION                                    |    |  |                    |
| 15.1              | US Federal regulations  |    |  |                    |
|                   | OSHA Hazard Communication Standard, (2<br>CFR 1910.1200)          | !: | Material is considered Hazardous. See Sect | ion 3.             |
| 15.2              | CERLA, section 103 (40 CFR 302.4)                                 | :  | No data available                          |                    |
| 15.3              | CLEAN AIR ACT, section 112  | :  | No data available                          |                    |
| 15.4              | SARA, section 302 (40 CFR 355.30) and section 304 (40 CFR 355.40) | :  | No data available                          |                    |
| 15.5              | SARA, section 311/312 (40 CFR 370.21)<br>Hazard classes           |    |  |                    |
|                   | Fire/Flammability   | :  | Νο   |                    |
|                   | Reactivity  | :  | Νο   |                    |
|                   | Chronic Health Hazard   | :  | Yes  |                    |
|                   | Acute Health Hazard   | :  | Yes  |                    |
|                   | Release of Pressure   | :  | Νο   |                    |
| 15.7              | EPA VOC   | :  | 0.00 g/l VOC                               |                    |

#### 15.8 California Prop 65.

| Titanium Dioxide              | Cas # | 13463-67-7  |
|-------------------------------|-------|-------------|
| Quartz (Crystalline Silicate) | Cas # | 148080-60-7 |

#### Additional Information:

Cas # 13463-67-7 Titanium Dioxide

: The listing is for titanium dioxide as "airborne, unbound particles of respirable size" and does not cover titanium dioxide when it remains within a product matrix.



Revision Date: 2/28/2023

#### **Tonachino Firenze**

(Contd. of page 10)

### SECTION 16: OTHER INFORMATION

| 16.1 | Full text of H-Statements referred to under sections 2 and 3. |       |                                    |  |  |
|------|---|-------|------------------------------------|--|--|
|      | HMIS Haza   | rd ID | Required Equipment                 |  |  |
|      | HEALTH  | 2     |                                    |  |  |
|      | FLAMMABILITY  | 0     |                                    |  |  |
|      | REACTIVITY  | 0     |                                    |  |  |
|      | PERSONAL PROTECTION   | Е     | Safety glasses, Gloves, Respirator |  |  |

16.1 Meoded Paint and Decoration provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using the product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. Meoded Paint and Decoration makes no representation or warranties, either express or implied, including without limitation any warranties of merchantability fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Meoded Paint and Decoration will no be responsible for damages resulting from use of or reliance upon this information.

#### END OF SDS SHEETS