

Revision Date: 3/2/2023

Vega

SECTION 1. IDENTIFICATION OF THE SUBSTANCE (DEEDED ATION AND OF THE COMPANY / UNDERTAVING						
SECT	SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPERATION AND OF THE COMPANY/UNDERTAKING					
1.1	Product details					
	Product category	:	Interior/Exterior Decorative Cementitious Coating			
	Product Name	:	Vega			
	Cas-No.	:	Mixture			
1.2	Application/preparation of the substance	:	Cement Coating			
	Restrictions	:	None known			
1.3	Details of the Manufacturer/Supplier	:	Meoded Paint & Decoration LLC.			
		:	6314 Santa Monica Blvd			
		:	Los Angeles, CA 90038			
	Further Information Obtainable from	:	Info@meodedpaint.com			
	Contact Phone Number	:	⁺ 1 323-308-2600			
	Fax	:	⁺ 1 323-308-2606			
1.4	In case of emergency, contact CHEMTREC	:	⁺ 1 800-424-9300			

SE

2.1 Classification of the substance	or mixture in accorda	nce with (OSHA HCS) 29 CFR 1910, 1200.
Classification	: Carcin	ogenicity - Category 1A
2.2 Pictogram (GHS-US)		
Signal Word (GHS-US)	: Dange	r
Hazard statement(s) (GHS-US)	: H335 : H340 : H350 : H360 : H373	May cause respiratory irritation. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement(s) (Gl	HS-US) : P103 : P202 : P261 : P281	Read label before use. Do not handle until all safety precautions have been read and understood. Avoid breathing/dust/fume/gas/mist/vapors/ spray. Use personal protective equipment as required.
		(Contd. on page 2)



Revision Date: 3/2/2023

	Vega	
	(Contd. of page 1	.)
Precautionary statement(s) (GHS-US)	: P308+P313 If exposed or concerned: Get medical advice attention.	:/
Response statement(s) (GHS-US)	: P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	I
	: P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
Storage Statement(S) (GHS-US)	: P402 Store in a dry place.	
Disposal Statement(s) (GHS-US)	: P501 Dispose of contents/container to in accordance with local/regional/national/international regulations.	

SECTION 3: COMPOSITION/INFORMATION ON IGREDIENTS

3.1 Composition/information on ingredients.

Dangerous components.

Component	Cas #	Exposure Limi	t
		OSHA PEL (Respirable)	5 mg/m ³
Portland Cement	65997-15-1	OSHA PEL (Total)	15 mg/m ³
		ACGIH TLV (Respirable)	10 mg/m ³ (Less1% Quartz)
		OSHA PEL (Respirable Quartz)	10 mg/m ³ / (% silica ⁺ 2)
Quartz	148080-60-7	OSHA PEL (Quartz)	30 mg/m ³ / (% silica ⁺ 2)
		ACGIH TLV (Respirable)	0.025 mg/m ³ / (Respirable)
Calcium Hydroxide	1305-62-0	OSHA PEL (Respirable)	5 mg/m ³
	1303-02-0	ACGIH TLV (Respirable)	5 mg/m ³
Calcium Carbonate	1317-65-3	OSHA TWA (Respirable Dust)	5 mg/m ³
Calcium Carbonate 1317-65-3		OSHA TWA(Total)	15 mg/m ³

All percentages withheld as trade secret.

- 3.2 Compositions Comments:
- : All percentages withheld as trade secret.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures General advice

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).



Revision Date: 3/2/2023 (Contd. of page 2)

			(conta. of page 2)
	Incase of skin contact	:	Vega Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get medical advice/attention.
	If swallowed	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
	Incase of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek medical attention if irritation develops or persists.
	If inhaled	:	Remove to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
SECT	ION 5: FIRE FIGHTING MEASURES		
SECT 5.1	ION 5: FIRE FIGHTING MEASURES General Fire Hazards	:	This product is not-flammable.
		:	This product is not-flammable.
5.1	General Fire Hazards		This product is not-flammable. For dried product, use carbon dioxide, dry chemical or alcohol foam.
5.1	General Fire Hazards Extinguishing Media	:	For dried product, use carbon dioxide, dry chemical or
5.1	General Fire Hazards Extinguishing Media Suitable extinguishing media	:	For dried product, use carbon dioxide, dry chemical or alcohol foam. Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.1	General Fire Hazards Extinguishing Media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the substance	:	For dried product, use carbon dioxide, dry chemical or alcohol foam. Do not use a heavy water stream. Use of heavy stream of water may spread fire.



Revision Date: 3/2/2023 (Contd. of page 3)

			Vega			
SECT	SECTION 6: ACCIDENTAL RELEASE MEASURES					
6.1	Personal precautions, protective equipment and emergency procedures					
	Non emergency personnel	:	Avoid dust formation. Do not breathe dust. Use personal protective equipment as recommended in Section 8. Ensure adequate ventilation. Wash thoroughly after handling material. Wear appropriate protective clothing.			
	For emergency responders	:	Use personal recommended in Section 8 of the SDS.			
6.2	Environmental precautions	:	Prevent runoff from contacting public drains, sewers, streams, and water systems.			
6.3	Methods and materials for containing and cleaning	:	For dry material sweep up spilled substance and remove to a safe place. Pick up and arrange for disposal without creating dust. Dispose of spilled materials in suitable containers in accordance with applicable regional, national and local laws and regulations.			
6.4	Notification Procedures	:	See section 8 for exposure controls and personal protection and section 13 for disposal considerations.			
SECT	ION 7: HANDLING AND STORAGE					
7.1	Precautions for safe handling	:	Do not handle until all safety precautions have been read and understood. Wear protective clothing. Do not breathe dust. Wash thoroughly after handling.			
7.2	Conditions for safe storage, including any inculpabilities	:	Store locked up in a cool dry place. Avoid moisture contamination will render product useless. Keep product dry until ready to use.			
7.3	Specific end use(s)		Decorative Finish.			



Revision Date: 3/2/2023 (Contd. of page 4)

Vega

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

United States. Occupational limits:				
Component	Cas #	Exposure Limit		
		OSHA PEL (Respirable)	5 mg/m ³	
Portland Cement	Portland Cement 65997-15-1	OSHA PEL (Total)	15 mg/m ³	
		ACGIH TLV (Respirable)	10 mg/m ³ (Less1% Quartz)	
	148080-60-7	OSHA PEL (Respirable Quartz)	10 mg/m ³ / (% silica * 2)	
Quartz (Crystalline Silicate)		OSHA PEL (Quartz)	30 mg/m ³ / (% silica ⁺ 2)	
		ACGIH TLV (Respirable)	0.025 mg/m ³ / (Respirable)	
Calcium Hudrovido	Calcium Hydroxide 1305-62-0	OSHA PEL (Respirable)	15 mg/m ³	
		ACGIH TLV (Respirable)	5 mg/m ³	
Calcium Carbonate	1317-65-3	OSHA TWA (Respirable Dust)	5 mg/m ³	
Calcium Carbonate		OSHA TWA (Total)	15 mg/m ³	

8.2 Exposure controls

Appropriate engineering controls

Individual Protective Measures

General information

Hygiene measures

- : Use with adequate ventilation to ensure exposure levels are maintained below the limit provided above. Use exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits.
- : Personal protective equipment should be chosen according to applicable standards.
- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure the eyewash stations and safety showers are close to the workstation location.
- Eye/face protection: Safety eyewear complying with an approved standard should
be used when a risk assessment indicates this is necessary
to avoid exposure to liquid splashes, mists, gases, dusts. If
contact is possible, the following protection should be worn,
unless the assessment indicates a higher degree of protection:
Safety glasses with side shields.



Revision Date: 3/2/2023 (Contd. of page 5)

	Vega
Skin protection/Hand protection	: Chemical-resistant, impervious gloves complying with approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazards and the potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training and other important aspects of use.
Environmental exposure controls	: Environmental manager/supervisor must be informed immediately of all major releases, Avoid unintended release into the environment.



9.1

SAFETY DATA SHEET

Revision Date: 3/2/2023 (Contd. of page 6)

Vega

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

ION 9. PHISICAL AND CHEIVIICAL PROPERTIES			
Information in basic physical and chemical properties			
Form	Powder Solid		
Color	White or Gray		
Odor	No district odor		
Odor threshold	Not applicable		
РН	12 to 12.5		
Melting/freezing point	No data available		
Initial boiling point and	> 1000 ° C (1832° F)		
boiling range	>1000 C(1852 T)		
Flash point	Not combustible		
Evaporation rate	No data available		
Flammability (solid, gas)	No data available		
Upper/lower explosive	No data available		
flammable limits			
Vapor pressure	No data available		

Vanar dansitu	No data availabla
Vapor density	No data available
Relative density	2.3 - 3.1
Water solubility	0.1 - 1% Slightly soluble
Partition coefficient	No data available
(n- octanol water)	
Auto-ignition	No data available
temperature	
Decomposition	No data available
temperature	NU Udla avallable
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Specific gravity (H2O=1)	
VOC:	0.0 g/l (0.0 lb./gal)

9.2 Other Information

: No relevant additional information available.

SECTION 10: STABILITY AND REACTIVITY		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical Stability	: Stable under ordinary conditions of use and storage.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reaction will not occur.	
10.4 Conditions to avoid	: Extremely high or low temperatures, and incompatible materials. Avoid creating dust or spreading dust.	
10.5 Incompatible materials	: As a strongly alkaline material, it is incompatible with acids.	
10.6 Hazardous decomposition products	: Not expected to decompose under ambient conditions.	
SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 Acute toxicity	: Not available	



Revision Date: 3/2/2023 (Contd. of page 7)

Skin corrosion/irritation	VegaMay cause skin irritation. May cause serious chemical burns in presence of water.
Eyes	: Causes serious eye damage. May cause burns in the presence of water.
Respiratory	: May cause respiratory tract irritation.
Sensitization	: May cause sensitization due to the potential presence of trace amounts of hexavalent chromium.
Mutagenicity	: No data available.
Carcinogenicity	: May cause cancer if (inhalation).

Product/ingredient name	OSHA	IARC	ACGIH	NTP
Quartz (Crystalline Silicate)	Carcinogen List	1	A2	Known to be a human carcinogen

Reproductive toxicity

: No data available.

Teratogenicity

: No data available.

Specific target organ toxicity

(Single exposure)

Ingredient name	Category	Route of exposure	Target Organs
Calcium Hydroxide	3	Inhalation and Skin contact	Respiratory tract irritation, skin
			irritation

Specific target organ toxicity

(Repeated exposure)

Ingredient name	Category	Route of exposure	Target Organs
Quartz (Crystalline Silicate)	1	Inhalation	Respiratory tract and kidneys

Aspiration Hazard

: No data available.

: No data available.



Revision Date: 3/2/2023 (Contd. of page 8)

	Vega
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity Ecology - General	: No date available
12.2 Persistence and degradability	: No data available
12.3 Bio accumulative potential	: No data available
12.4 Mobility in soil	: No data available
12.5 Other adverse effect	: Due to high PH in this material if release into water or moist soil it will cause an increase in PH.
SECTION 13: DISPOSAL CONSIDERATIONS	
13.1 Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recycle products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be consider when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal od spilled material and runoff and contact with soil, waterways, drains and sewers.
SECTION 14: TRANSPORT INFORMATION	
14.1 UN Number	: Not regulated
14.2 UN Proper Shipping Name	: Not regulated



Revision Date: 3/2/2023 (Contd. of page 9)

			(conta. of page 3)
			Vega
14.3	Transport Hazards Class(es)	:	Not regulated
1.4.4	Pashing Crown		Net resulted
14.4	Packing Group	:	Not regulated
14.5	Environmental Hazard Class(es)	:	This material is high in alkaline if release into water or moist
			soil it will cause an increase in PH.
14.6	Sea Transport		Not regulated
14.7	Air transport		Not regulated
14.8	Special Precautions for user	:	None
_			
	ON 15: REGULATORY INFORMATION		
15.1	US Federal regulations		
		:	Material is considered Hazardous. See Section 3.
	CFR 1910.1200)		
15.2	CERLA, section 103 (40 CFR 302.4)		No data available
		•	
15.3	CLEAN AIR ACT, section 112	:	No data available
15.4	SARA, section 302 (40 CFR 355.30) and	:	No data available
	section 304 (40 CFR 355.40)		
15.5	SARA, section 311/312 (40 CFR 370.21)		
	Hazard classes		
	Health Hazard	-	Specific target organ toxicity (single or repeated exposure)
	Health Hazard	-	Carcinogenicity
	Health Hazard	-	Respiratory or skin sensitization
	Health Hazard	-	Skin corrosion or Irritation
	Health Hazard	-	Serious eye damage or eye Irritation
15.6	SARA, 313	:	No data available
15.7	EPA VOC	:	0.0 g/l VOC



Revision Date: 3/2/2023 (Contd. of page 10)

Vega

15.8	California Prop 65.				
	Portland Cement	Cas #	65997-15-1		
	Quartz (Crystalline Silicate)	Cas #	148080-60-7		
	Calcium Hydroxide	Cas #	1305-62-0		
	Calcium Carbonate	Cas #	1317-65-3		

SECTION 16: OTHER INFORMATION

16.1 Full text of H-Statements referred to under sections 2 and 3.

HMIS Hazard ID			
HEALTH	1		
FLAMMABILITY	0		
REACTIVITY	0		
PERSONAL PROTECTION	E		

Required Equipment

Safety glasses, Gloves, Respirator

16.1 Meoded Paint and Decoration provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using the product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. Meoded Paint and Decoration makes no representation or warranties, either express or implied, including without limitation any warranties of merchantability fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Meoded Paint and Decoration will no be responsible for damages resulting from use of or reliance upon this information.

End OF SDS SHEET